

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2300047606		GASKET, BONNET GASKET, FOR HRSG DUCT BURNER SKID NG INLET LINE MAIN STRAINER, GRAPHITE FILLED SPIRAL WOUND GASKET WITHOUT INNER AND O UTER RING, SIZE: 254 X 300 X 3.5 MM , KKS : 71/72/73HHG01AT001.	9	EA				
2	3600049773		SHEET_GASKET; SIZE: 1M WD, 1M LG, 1MM THK; COMPOSITION: NON-ASBESTOS; PRESSURE RATING: 10BAR (WORKING), 300LB; TEMPERATURE RATING: 150DEG C; ADDITIONAL INFO: SHAPE: SQ; APPLICATION: HP/LP BYPASS STRAINER; SERVICE SPRAY WATER; KKS CODE: 74/75LCE11AT001	10	EA				
3	3600049772		GASKET_FLANGE; INSIDE DIAMETER: 180MM; OUTSIDE DIAMETER: 330MM; THICKNESS: 4.5MM; MATERIAL: NON-ASBESTOS; BOLT HOLE SIZE: 28MM; NUMBER OF BOLT HOLES: 12; PITCH CIRCLE DIAMETER: 280MM; ADDITIONAL INFO: TEMPERATURE RATING: 150DEG C; APPLICATION: STARTUP BYPASS STRAINER; 300LB/10BAR; SERVICE SPRAY WATER; KKS CODE: 70LCE12AT001	5	EA				
4	2300007842		GASKET_SPIRAL WOUND; SIZE: 810MM ID, 918MM	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OD, 4.5MM THK; WINDING MATERIAL: 316L SS; TYPE: COVER; FILLER MATERIAL: TEFLON; INNER RIN G MATERIAL: 316L SS; OUTER RING MATERIAL: 316L SS; STANDARD: ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 840MM OD; OUTER RING SI Z E: 890MM ID; WINDING SIZE: 840MM ID; 890MM OD; CONNECTIONS; APPLICATION: AUX BOILER DFO COALASCR FILTER; DWG: H04-04600; POS: 6						
5	2300008188		GASKET_SPIRAL WOUND; PIPE SIZE: 24IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
6	2300008201		GASKET_SPIRAL WOUND; PIPE SIZE: 20IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
7	2300008187		GASKET_SPIRAL WOUND; PIPE SIZE: 20IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
8	2300008200		GASKET_SPIRAL WOUND; PIPE SIZE: 18IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				
9	2300008186		GASKET_SPIRAL WOUND; PIPE SIZE: 18IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				
10	2300008199		GASKET_SPIRAL WOUND; PIPE SIZE: 16IN; PRESSURE RATING: 300LB; WINDING MATERIAL:	20	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION						
11	2300008185		GASKET_SPIRAL WOUND; PIPE SIZE: 16IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
12	2300008208		GASKET_SPIRAL WOUND; PIPE SIZE: 14IN; PRESSURE RATING: 600LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
13	2300008198		GASKET_SPIRAL WOUND; PIPE SIZE: 12IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER	20	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION						
14	2300008184		GASKET_SPIRAL WOUND; PIPE SIZE: 12IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				
15	2300008197		GASKET_SPIRAL WOUND; PIPE SIZE: 10IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	50	EA				
16	2300008183		GASKET_SPIRAL WOUND; PIPE SIZE: 10IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION:	50	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLANGE CONNECTION						
17	2300008220		GASKET_SPIRAL WOUND; PIPE SIZE: 8IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
18	2300008182		GASKET_SPIRAL WOUND; PIPE SIZE: 8IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	50	EA				
19	2300008229		GASKET_SPIRAL WOUND; PIPE SIZE: 6IN; PRESSURE RATING: 1500LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
20	2300008181		GASKET_SPIRAL WOUND; PIPE SIZE: 6IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	100	EA				
21	2300008218		GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
22	2300008194		GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	50	EA				
23	2300008180		GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 150LB; WINDING MATERIAL:	100	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION						
24	2300008217		GASKET_SPIRAL WOUND; PIPE SIZE: 3IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	10	EA				
25	2300008193		GASKET_SPIRAL WOUND; PIPE SIZE: 3IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	100	EA				
26	2300008179		GASKET_SPIRAL WOUND; PIPE SIZE: 3IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI	100	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION						
27	2300008216		GASKET_SPIRAL WOUND; PIPE SIZE: 2-1/2IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MA TERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				
28	2300008192		GASKET_SPIRAL WOUND; PIPE SIZE: 2-1/2IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MA TERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	100	EA				
29	2300008178		GASKET_SPIRAL WOUND; PIPE SIZE: 2-1/2IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MA TERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION:	100	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLANGE CONNECTION						
30	2300008215		GASKET_SPIRAL WOUND; PIPE SIZE: 2IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	20	EA				
31	2300008191		GASKET_SPIRAL WOUND; PIPE SIZE: 2IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	200	EA				
32	2300008190		GASKET_SPIRAL WOUND; PIPE SIZE: 1-1/2IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MA TERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	200	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
33	2300008213		GASKET_SPIRAL WOUND; PIPE SIZE: 1IN; PRESSURE RATING: 900LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	30	EA				
34	2300008189		GASKET_SPIRAL WOUND; PIPE SIZE: 1IN; PRESSURE RATING: 300LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	200	EA				
35	2300008175		GASKET_SPIRAL WOUND; PIPE SIZE: 1IN; PRESSURE RATING: 150LB; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE CONNECTION	100	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012203776
DATE : 23.08.2022
REQ No : 1012203780
REQ TITLE : Gaskets for NG, DFO, Steam &
DELIVERY LOCATION : 0017 - L STORE-SPAR&CHE
CLOSING DATE : 29.08.2022
CLOSING TIME : 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Gaskets for NG, DFO, Steam <> FW system flanges. L1 Station.

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP