

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3700008100		HOSE_HYDRAULIC; SIZE: 1-1/2IN DIA; CONNECTION: SWIVEL FEMALE; LENGTH: 1.15M; RATING: 200BAR; SERVICE: OIL; STANDARD: SAE 100R1A/AT; APPLICATION: SMALL PUMP SUCTION; DWG: 2140-4-1; POS: 46	4	EA				
2	3700008102		HOSE_HYDRAULIC; SIZE: 1/2IN DIA; CONNECTION: SWIVEL FEMALE; LENGTH: 1100MM; RATING: 300BAR; TYPE: RETURN; SERVICE: HYD OIL; STANDARD : SAE 100R1AT; MFR: PARKER HANNIFIN CORP; ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; POS: 49	4	EA				
3	3700008104		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 955MM; RATING: 200BAR; TYPE: DISCHARG E; SERVICE: HYD OIL; STANDARD: SAE 100R1AT; APPLICATION: SMALL PUMP; DWG: 2140-4-1; POS: 51	4	EA				
4	3700008105		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 980MM; RATING: 300BAR; SERVICE: HYD OIL	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			; STANDARD: SAE 100R1AT; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLI C ATION: MAIN PUMP DRAIN; DWG: 2140-4-1; POS: 52						
5	3700008099		HOSE_HYDRAULIC; SIZE: 2IN DIA; CONNECTION: 90DEG SWIVEL SAE FLANGED FEMALE STRAIGHT W/O-RING GROOVE; LENGTH: 730MM; RATING: 100BAR; SERVICE: HYD OIL; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICATION: MAIN PUMP SUCTION; DWG: 2140-4-1; POS: 45	4	EA				
6	3700008106		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 700MM; RATING: 300BAR; SERVICE: HYD OIL ; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICATION: PRESSURE FILTER OUTLET; TRACTOR 2K; DWG: 2140-4-1; POS: 53	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
7	3700008101		HOSE_HYDRAULIC; SIZE: 1-1/4IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 1.15M; RATING: 200BAR; TYPE: RETURN ; SERVICE: HYD OIL; STANDARD: SAE 100R1A; APPLICATION: FILTER INLET; DWG: 2140-4-1; POS: 48	4	EA				
8	3700008109		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 1.6M; RATING: 300BAR; SERVICE: HYD OIL; STANDARD: SAE 100R12; MFR: PARKER HANNIFIN CORP; ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICA TION: COUNTER BALANCE VALVE INLET; DWG: 2140-4-11; POS: 16	4	EA				
9	3700008110		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 1.5M; RATING: 300BAR; SERVICE: HYD OIL; STANDARD: SAE 100R12; MFR: PARKER HANNIFIN CORP; ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICA TION: COUNTER BALANCE VALVE RETURN; DWG:	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			2140-4-11; POS: 16						
10	3700008107		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 1.6M; RATING: 300BAR; SERVICE: HYD OIL; STANDARD: SAE 100R2A; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICATION: MOTOR INLET; DWG: 2140-4-11; POS: 15	4	EA				
11	3700008103		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: SWIVEL FEMALE; LENGTH: 650MM; RATING: 300BAR; TYPE: DISCHARGE; SERVICE: HYD OIL; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLICATION: MAIN PUMP; TRACTOR 2K; DWG: 2140-4-1; POS: 50	4	EA				
12	3700008108		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: SWIVEL FEMALE X 90DEG SWIVEL FEMALE BEND; LENGTH: 1.5M; RATING: 300BAR; SERVICE: HYD OIL; STANDARD: SAE 100R2A; MFR: PARKER HANNIFIN CORP: ADDITIONAL INFO: PRESSURE	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TEST CERTIFICATE SHOULD BE STICKED ON THE HOSE; APPLI C ATION: MOTOR RETURN; DWG: 2140-4-11; POS: 15						
13	3700008391		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: 90DEG BSP X 90DEG BSP; LENGTH: 840MM; RATING: 250BAR; STYLE: DOUBLE WIRE BRAIDED; SERVI CE: OIL; APPLICATION: PRESSURE FILTER TO MANIFOLD BLOCK; POS: 01; REF: 12236 H (HPU)	2	EA				
14	3700008392		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: 45DEG BSP ELBOW X 90DEG BSP ELBOW; LENGTH: 1530MM; RATING: 5BAR; TYPE: RETURN; STYLE: SIN GLE WIRE BRAIDED; SERVICE: HYD OIL; APPLICATION: MAIN MANIFOLD BLOCK TO TANK; POS: 02; REF: 12236 H-HPU	2	EA				
15	3700008393		HOSE_HYDRAULIC; SIZE: 1IN DIA; CONNECTION: 90DEG BSP ELBOW; LENGTH: 500MM; RATING: 5BAR; TYPE: SUCTION; STYLE: SINGLE WIRE BRAIDED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: COOLER ASSY; POS: 03; REF: 12236 H-HPU	1	EA				

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

Page5 of 9

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
16	3700008394		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: BSP STRAIGHT FITTING X 90DEG ELBOW; LENGTH: 640MM; RATING: 25BAR; STYLE: SINGLE WIRE BR AIDED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: PRESSURE PUMP TO COOLER; POS: 04; REF: 12236 H-HPU	1	EA				
17	3700008395		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: 90DEG BSP ELBOW; LENGTH: 1200MM; RATING: 5BAR; TYPE: RETURN; STYLE: SINGLE WIRE BRAIDED ; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: CHECK VALVE UNDER COOLER; POS: 06; REF: 12236 H-HPU	1	EA				
18	3700008396		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: STRAIGHT FITTING X 90DEG ELBOW; LENGTH: 1050MM; RATING: 250BAR; STYLE: DOUBLE WIRE BRAI DED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: PRESSURE PUMP; POS: 08; REF: 12236 H-HPU	1	EA				
19	3700008397		HOSE_HYDRAULIC; SIZE: 1-1/4IN DIA; CONNECTION: STRAIGHT FITTING X 90DEG ELBOW; LENGTH: 800MM; RATING: 5BAR; STYLE: SINGLE WIRE BRAID	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: SUCTION PUMP; POS: 09; REF: 12236 H-HPU						
20	3700008398		HOSE_HYDRAULIC; SIZE: 1/2IN DIA; CONNECTION: BSP STRAIGHT FITTING X 90DEG ELBOW; LENGTH: 1M; RATING: 5BAR; STYLE: SINGLE WIRE BRAIDE D; SERVICE: HYD OIL; APPLICATION: PUMP CASE DRAIN; POS: 10; REF: 12236 H-HPU	1	EA				
21	3700008399		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: 90DEG ELBOW; LENGTH: 550MM; RATING: 5BAR; STYLE: SINGLE WIRE BRAIDED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: SUCTION PUMP; POS: 11; REF: 12236 H-HPU	1	EA				
22	3700008400		HOSE_HYDRAULIC; CONNECTION: 1/2IN BSP 90DEG ELBOW; LENGTH: 1200MM; RATING: 5BAR; STYLE: SINGLE WIRE BRAIDED; SERVICE: OIL; APPLICATI ON: HPU; CASE DRAIN PUMP; POS: 2; 12; REF: 12236 H	1	EA				
23	3700008401		HOSE_HYDRAULIC; SIZE: 1/2IN DIA; CONNECTION: 45DEG BSP ELBOW X 90DEG BSP ELBOW; LENGTH: 1350MM; RATING: 250BAR; STYLE: DOUBLE WIRE B RAIDED; SERVICE: HYD OIL; ADDITIONAL INFO:	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ASSY; APPLICATION: PRESSURE PUMP; POS: 13; REF: 12236 H-HPU						
24	3700008402		HOSE_HYDRAULIC; SIZE: 1-1/4IN DIA; CONNECTION: 90DEG BSP ELBOW; LENGTH: 1350MM; RATING: 25BAR; TYPE: EMERGENCY; STYLE: SINGLE WIRE B RAIDED; SERVICE: HYD OIL; ADDITIONAL INFO: ASSY; APPLICATION: BLOCK TO TANK; POS: 14; REF: 12236 H-HPU	1	EA				
25	3700016964		HOSE_HYDRAULIC; SIZE: 3/4IN DIA; CONNECTION: 3/4IN FEMALE BSP STRAIGHT FITTING X 1IN 90DEG BSP ELBOW; LENGTH: 2M; RATING: 250BAR; ST YLE: MULTI-WIRE BRAIDED; SERVICE: HYD OIL; APPLICATION: CABINET TO HYD ACTUATOR	2	EA				
26	2100001887		HOSE_HYDRAULIC; CONNECTION: 3/8IN BSP STRAIGHT X 3/8IN BSP 90DEG ELBOW; LENGTH: 1250MM; RATING: 250BAR; STYLE: SINGLE WIRE BRAIDED; SERVICE: OIL; APPLICATION: AIR DRYER; 230VAC 50HZ 1PH 12KW; TYPE: ID77; MODEL: 1617306280; ATLAS COPCO; SERIAL NO: CAQ250103; POS: 0 7; REF: 12236 H	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2352200001
DATE : 17.06.2022
REQ No : 1012202701
REQ TITLE : 1012202701 Hose
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 22.06.2022
CLOSING TIME : 10:30:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

FOR G WHRB HYDRAULIC SYSTEM. .CONSIDER DESIGN PRESSURE 215 BAR FOR PRESSURE HOSE.WORKING PRESSURE 175BAR.

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP